
## **Southern Plains – Winter Wheat**


- Analysis of satellite imagery and weather data from the Southern Plains of the U.S., indicates that the 2001 winter wheat crop is behind the last two years in development.
- Following are Landsat comparison images taken in March 2001, 2000, 1999 and 1998, from example locations in the Southern Plains (Kansas, Oklahoma, and Texas).
  - The red and orange tones on the satellite images are "actively growing" winter wheat, alfalfa fields and grasses. The maroon tones are dormant winter wheat, alfalfa fields and grasses.
- Temperature graphs, comparing February/March 1999, 2000 and 2001 data for several weather stations across the region are also included.
- While "planted area" is down for the 2001 crop compared to recent years, crop conditions are expected to be as good or better coming out of dormancy, due to generous late Fall 2000 and Winter 2001 precipitation. To date, winter-kill and freeze damage has not been a problem.

# Dodge City, Kansas






# **Dodge City, Kansas**




Remote Sensing Analysis

## **Garden City, Kansas**






## **Garden City, Kansas**



## Enid, Oklahoma




Landsat TM 7, Ch. 4,5,3 = RGB

March 06, 2001




## Enid, Oklahoma






Enid, Oklahoma





## Spearman, Texas




**Landsat TM 7, Ch. 4,5,3 = RGB** 

March 04, 2001





## Spearman, Texas






### **Dodge City, Kansas**









### **Garden City, Kansas**









### Wichita, Kansas








#### Enid, Oklahoma






### Abilene, Texas





#### **Amarillo, Texas**





#### Lubbock, Texas

